



. Identification of Substance & Company

Product

Product name Eclipse LD HSNO approval HSR002670

Approval description Surface Coatings and Colourants (Subsidiary Hazard) Group Standard

2017

UN number NA
DG class NA
Proper Shipping Name NA
Packaging group NA
Hazchem code NA

Uses shading paint for horticultural greenhouses

Company Details

Company EGMONT COMMERCIAL

Address PO Box 37-326

Christchurch 8245 New Zealand

Website www.egmontcommercial.co.nz

Telephone Auckland (09) 838 2960 Christchurch (03) 349 5546

Email sales@egmontnz.com

Emergency Telephone Number: 0800 764 766 (POISON CENTRE)

2. Hazard Identification

Approval

This product is an approved substance under the Hazardous Substances and New Organisms Act (HSNO, Approval HSR002670, Surface Coatings and Colourants (Subsidiary Hazard) Group Standard 2017). The substance has been classified as hazardous according to the criteria in the Hazardous substances (Minimum Degrees of Hazard) Notice 2017and is classified as follows:

Classes 6.4A **Hazard Statements**

H320 - Causes eye irritation.

SYMBOLS

WARNING



Other Classifications

There are no other classifications that are known to apply.

Precautionary Statements

P103 - Read label before use.

P264 - Wash hands thoroughly after handling.

P280 - Wear eye protection.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 - If eye irritation persists: Get medical advice/attention.

3. Composition / Information on Ingredients

Component	CAS/ Identification	Conc (%)
calcium carbonate	471-34-1	25-50%
ingredients not contributing to HSNO classes	mixture	balance

This is a commercial product whose exact ratio of components may vary. Trace quantities of impurities are also likely.

Page 1 of 6

May 2018 Product Name: Eclipse LD



First Aid

General Information

If medical advice is needed, have product container or label at hand. You should call the National Poisons Centre if you feel that you may have been poisoned, burned or irritated by this product. The number is 0800 764 766 (0800 POISON) (24 hr emergency service).

Recommended first aid

facilities

Ready access to running water is required. Accessible eyewash is required.

Exposure

Swallowed Do NOT induce vomiting. Give a glass of water to drink. Contact a doctor.

Eye contact If product gets in eyes, wash material from them with running water for several minutes.

If symptoms persist, seek medical advice.

Skin contact This product is non-irritating to skin. No further measures should be required.

Generally, inhalation of fumes is unlikely to result in adverse health effects. If coughing, Inhaled

> dizziness or shortness of breath is experienced, remove the patient to fresh air immediately. If patient is unconscious, place in the recovery position (on the side) for

transport and contact a doctor.

Advice to Doctor

Treat symptomatically

Firefighting Measures

Fire and explosion hazards: Suitable extinguishing

substances:

Unsuitable extinguishing

substances:

There are no specific risks for fire/explosion for this chemical. It is non-flammable. Carbon dioxide, extinguishing powder or water jet. Fight larger fires with water jet or

alcohol resistant foam.

Unknown.

Products of combustion: Carbon dioxide, and if combustion is incomplete, carbon monoxide and smoke. Water.

May form toxic mixtures in air and may accumulate in sumps, pits and other low-lying

spaces, forming potentially explosive mixtures.

Protective equipment:

Hazchem code:

No special measures are required.

NA

Accidental Release Measures

Containment Secondary containment and emergency plans to manage any potential spills must be in

place are not required, however in all cases design storage to prevent discharge to storm

Emergency procedures If a significant spill occurs: Stop leak if safe/necessary; Isolate area. Collect spill - see

below; Transfer to container for disposal. Dispose of according to guidelines below

(Section 13).

Clean-up method Use absorbent (soil, sand or other inert material). Rags are not recommended for the

clean-up of spills, as they may create fire or environmental hazard. Collect and seal in properly labelled containers or drums for disposal. If contamination of crops, sewers or

waterways has occurred advise local emergency services.

Disposal Mop up and collect recoverable material into labelled containers for recycling or salvage.

Recycle containers wherever possible. This material may be suitable for approved

landfill. Dispose of only in accord with all regulations.

Precautions No special protective clothing is normally necessary.

Storage & Handling

Avoid storage of harmful substances with food. Store out of reach of children. Storage

> Containers should be kept closed in order to minimise contamination. Keep from extreme heat and open flames. Avoid contact with incompatible substances as listed in

Section 10.

Handling Keep exposure to a minimum, and minimise the quantities kept in work areas. See

section 8 with regard to personal protective equipment requirements.



8. Exposure Controls / Personal Protective Equipment

Workplace Exposure Standards

A workplace exposure standard (WES) has not been established by WorkSafe NZ for this product. There is a general limit of 3mg/m³ for respirable particulates and 10mg/m³ for inhalable particulates when limits have not otherwise been established.

NZ Workplace Ingredient WES-TWA* WES-STEL Exposure Stds calcium carbonate 10mg/m³ data unavailable

(2016)

* These workplace exposure standards are also Prescribed Exposure Standards (PES) under the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016.

Engineering Controls

In industrial situations, it is expected that employee exposure to hazardous substances will be controlled to a level as far below the WES as practicable by applying the hierarchy of control required by the Health and Safety at Work Act (2015) and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016. Exposure can be reduced by process modification, use of local exhaust ventilation, capturing substances at the source, or other methods. If you believe air borne concentrations of mists, dusts or vapours are high, you are advised to modify processes or increase ventilation.

Personal Protective Equipment

Eyes



Avoid contact with eyes. Use safety glasses and or chemical splash goggles if dust is possible. Select eye protection in accordance with AS/NZS 1337.

Skin Protective gloves and clothing are not normally necessary. However, it is prudent to

wear gloves when handling chemicals in bulk or for an extended period of time. A respirator when airborne concentrations approach the WES (section 8). Respirators must have filters appropriate to the duty and comply with AS/NZS1716 and selected,

used and maintained in accordance with AS/NS 1715.

WES Additional Information

Not applicable

Respiratory

9. Physical & Chemical Properties

Appearance white liquid Odour neutral pН 8-9 Vapour pressure no data **Viscosity** no data **Boiling point** no data Volatile materials no data Freezing / melting point no data

Solubility insoluble in water
Specific gravity / density 1.35-1.45g/cm³
Flash point no data
Danger of explosion not explosive
Auto-ignition temperature upper & lower flammable limits
Corrosiveness insoluble in water
1.35-1.45g/cm³
not data
not explosive
not self-igniting
not applicable
non corrosive

10. Stability & Reactivity

Stability Stable

Conditions to be avoided Containers should be kept closed in order to avoid contamination. Keep from extreme

heat and open flames. Avoid direct sunlight.

Incompatible groups Strong bases, strong acids.

Substance Specific none known

Incompatibility

Hazardous decomposition

products

Hazardous reactions none known

Page 3 of 6 May 2018 Thermal decomposition products: carbon monoxide, carbon dioxide.

Product Name: Eclipse LD





11. Toxicological Information

Summary

IF IN EYES: this substance may be irritating to the eyes.

Supporting Data

Acute Oral Using LD₅₀'s for ingredients, the calculated LD₅₀ (oral, rat) for the mixture is >5,000

mg/kg. Data considered includes: calcium carbonate 6450mg/kg (rat).

Dermal No evidence of dermal toxicity.

Inhaled No evidence of acute inhalation toxicity.

Eye The mixture is considered to be an eye irritant. Calcium carbonate is classed by the EPA

as 6.4A.

Skin The mixture is not considered to be a skin irritant.

Chronic Sensitisation No ingredient present at concentrations > 0.1% is considered a sensitizer.

MutagenicityNo ingredient present at concentrations > 0.1% is considered a mutagen.CarcinogenicityNo ingredient present at concentrations > 0.1% is considered a carcinogen.Reproductive /No ingredient present at concentrations > 0.1% is considered a reproductive or

Developmental developmental toxicant or have any effects on or via lactation.

Systemic No ingredient present at concentrations > 1% is considered a target organ toxicant.

Aggravation of None known. existing conditions

12. Ecological Data

Summary

This mixture is not considered ecotoxic, however prevent run-off into sewers, drains and waterways.

Supporting Data

Aquatic Using EC₅₀'s for ingredients, the estimated EC₅₀ for the mixture is > 100 mg/L.

Bioaccumulation No data
Degradability No data

Soil No evidence of soil toxicity.

Terrestrial vertebrateThis mixture is not considered ecotoxic towards terrestrial vertebrates.

Terrestrial invertebrateNo evidence of ecotoxicity towards terrestrial invertebrates.

Biocidal no data

Environmental effect levels No EELs are available for this mixture or ingredients

13. Disposal Considerations

Restrictions There are no product-specific restrictions, however, local council and resource consent

conditions may apply, including requirements of trade waste consents.

Disposal method Disposal of this product must comply with the Hazardous Substances (Disposal) Notice

2017 and the requirements of the Resource Management Act for which approval should be sought from the Regional Authority. The substance must be treated and therefore

rendered non-hazardous before discharge to the environment.

Contaminated packaging Disposal of contaminated packaging must comply with the Hazardous Substances

(Disposal) Notice 2017 clause 12. Ensure that the package is renedered incapable of containing any substance and is disposed in a manner that is consistent with the requirements of the substance it contained and the material of the package. If possible

reuse or recycle packaging.

14. Transport Information

Land Transport Rule: Dangerous Goods 2005 - NZS 5433:2007

There are no specific restrictions for this product (not a dangerous good).

UN number: NA Proper shipping name: NA Class(es) NA Packing group: NA Precautions: NA Hazchem code: NA





15. Regulatory Information

This product is an approved substance under the Hazardous Substances and New Organisms Act (HSNO). Approval code: HSR002670, Surface Coatings and Colourants (Subsidiary Hazard) Group Standard 2017. All ingredients appear in the NZIoC.

Specific Workplace Controls (as per HSNO approval referenced to Controls Matrix)

Key workplace requirements are:

SDS To be available within 10 minutes in workplaces storing any quantity.

Inventory An inventory of all hazardous substances must be prepared and maintained.

Packaging All hazardous substances should be appropriately packaged including substances

that have been decanted, transferred or manufactured for own use or have been

supplied

Labelling Must comply with the Hazardous Substances (Labelling) Notice 2017.

Emergency plan Not required. Certified handler Not required. Tracking Not required. Bunding & secondary containment Not required. Signage Not required. Location compliance certificate Not required. Flammable zone Not required. Fire extinguisher Not required.

Note: The above workplace requirements apply if only this particular substance is present. The complete set of controls for a location will depend on the classification and total quantities of other substances present in that location.

Other Legislation

In New Zealand, the use of this product may come under the Resource Management Act and Regulations, the Health and Safety at Work Act 2015 and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016, local Council Rules and Regional Council Plans.

16. Other Information

Abbreviations

Approval Code Approval HSR002670, Surface Coatings and Colourants (Subsidiary Hazard) Group

Standard 2017 Controls, EPA. www.epa.govt.nz

CAS Number

Unique Chemical Abstracts Service Registry Number

Ceiling Ceiling Exposure Value: The maximum airborne concentration of a biological or chemical

agent to which a worker may be exposed at any time.

Controls Matrix

List of default controls linking regulation numbers to Matrix code (e.g. T1, I16).

EC50

Ecotoxic Concentration 50% – concentration in water which is fatal to 50% of a test

population (e.g. daphnia, fish species)

EPA Environmental Protection Authority (New Zealand)

HAZCHEM Code Emergency action code of numbers and letters that provide information to emergency

services, especially fire fighters

HSNO Hazardous Substances and New Organisms (Act and Regulations)

International Agency for Research on Cancer

LEL Lower Explosive Limit

LD₅₀ Lethal Dose 50% – dose which is fatal to 50% of a test population (usually rats).

LC₅₀ Lethal Concentration 50% − concentration in air which is fatal to 50% of a test population

(usually rats)

MSDS (SDS) Material Safety Data Sheet (or Safety Data Sheet)

PES Prescribed Exposure Standard means a WES or a biological exposure standard that is

prescribed in a regulation, a safe work instrument or an approval under HSNO (including

group standards).

STEL Short Term Exposure Limit - The maximum airborne concentration of a chemical or

biological agent to which a worker may be exposed in any 15 minute period, provided the

TWA is not exceeded

TWA Time Weighted Average – generally referred to WES averaged over typical work day

(usually 8 hours)

UELUpper Explosive LimitUN NumberUnited Nations Number

WES Workplace Exposure Standard - The airborne concentration of a biological or chemical

Page 5 of 6 May 2018

Product Name: Eclipse LD





agent to which a worker may be exposed during work hours (usually 8 hours, 5 days a week). The WES relates to exposure that has been measured by personal monitoring using procedures that gather air samples in the worker's breathing zone.

References

WES 2002

Unless otherwise stated comes from the EPA HSNO chemical classification information Data database (CCID).

EPA Transfer Gazettes Classifications and controls assigned for specific ingredients (consolidated gazette, 2004) **WES 2016** The NZ Workplace Exposure Standards Effective from 2016, published by WorkSafe NZ

and available on their web site - www.worksafe.govt.nz.

Workplace Exposure Standards published by the Occupational Safety and Health Service, Department of Labour, January 2002, ISBN 0-477-03660-0. These are the WES

referred to under the Group Standard (HSNO approval) and may constitute a PES.

Other References: Suppliers SDS

Review

Reason for review Date

REVIEW DATE Not applicable - new SDS

Disclaimer

This SDS was prepared by Datachem LTD and is based on our current state of knowledge, including information obtained from suppliers. The SDS is given in good faith and constitutes a guideline (not a guarantee of safety). The level of risk each substance poses is relevant to its properties (as summarised in the SDS) AND HOW THE SUBSTANCE IS USED. While guidelines are given for personal protective equipment, such precautions must be relevant to the use. The likely HSNO classifications for this SDS have been estimated based on general information from the supplier (e.g., hazard, toxicological). This SDS is copyright Datachem and must not be copied, edited or used for other than intended purpose. To contact the SDS author, email info@datachem.co.nz or phone: +64 9 940 30 80.

